


USG UTAC CLIP

- USEFUL FOR RUNNING BOND AND OTHER OFF MODULE LAYOUTS.
- COMPLIES WITH ASTM E580 FOR CATEGORY C, AND D-F INSTALLATIONS.
- DOES NOT INTERFERE WITH PANEL INSTALLATION OR REMOVAL.
- WORKS WITH ALL DONN BRAND SUSPENSION SYSTEMS.
- ENSURES THE DONN SUSPENSION SYSTEM WARRANTY WILL APPLY.
- REFERENCE USG LITERATURE AC3330 FOR MORE INFORMATION.
- ASHLAR GRID LAYOUTS REQUIRE MORE MAIN TEES THAN STANDARD ORTHOGONAL GRID CEILINGS.

GENERAL NOTES

THE UNOPPOSED CROSS TEE CLIP IS USED TO CREATE CODE COMPLIANT CROSS TEE CONNECTIONS WHEN A CROSS TEE IS INSTALLED IN A MAIN TEE WITHOUT ANOTHER CROSS TEE DIRECTLY OPPOSITE.


THE UTAC COMPLIES WITH ASTM E580 FOR CATEGORY C, AND D-F SEISMIC INSTALLATIONS. REQUIRES A POP RIVET FOR INSTALLATION.



SYSTEM COMPATIBILITY	COMPATIBLE
USG DONN GRID AND USG TILE	YES
USG CEILINGS PLUS ILLUSIONS	YES
USG CELEBRATION	YES
USG CELEBRATION TORSION SPRING	NO
USG DANOLINE & HERADESIGN PANELS	YES

2 ASHLAR PATTERN, 2' X 4' PANELS

Scale: 1/2" = 1'-0"



SYSTEM COMPATIBILITY	COMPATIBLE
USG DONN GRID AND USG TILE	YES
USG CEILINGS PLUS ILLUSIONS	YES
USG CELEBRATION	YES
USG CELEBRATION TORSION SPRING	YES
USG DANOLINE & HERADESIGN PANELS	YES

1 ASHLAR PATTERN, 2' X 2' PANELS

Scale: 1/2" = 1'-0"

LEGEND

UTAC CLIP AT END OF CROSS TEE	TWO FOR EACH CROSS TEE, (ONE AT EACH END), TYPICAL
CROSS TEE	-----
MAIN TEE	_____

SHEET INFORMATION:

ASHLAR GRID LAYOUTS

IC5372 - 1


USG UTAC CLIP

- USEFUL FOR RUNNING BOND AND OTHER OFF MODULE LAYOUTS.
- COMPLIES WITH ASTM E580 FOR CATEGORY C, AND D-F INSTALLATIONS.
- DOES NOT INTERFERE WITH PANEL INSTALLATION OR REMOVAL.
- WORKS WITH ALL DONN BRAND SUSPENSION SYSTEMS.
- ENSURES THE DONN SUSPENSION SYSTEM WARRANTY WILL APPLY.
- REFERENCE USG LITERATURE AC3330 FOR MORE INFORMATION.
- ASHLAR GRID LAYOUTS REQUIRE MORE MAIN TEES THAN STANDARD ORTHOGONAL GRID CEILINGS.

GENERAL NOTES

THE UNOPPOSED CROSS TEE CLIP IS USED TO CREATE CODE COMPLIANT CROSS TEE CONNECTIONS WHEN A CROSS TEE IS INSTALLED IN A MAIN TEE WITHOUT ANOTHER CROSS TEE DIRECTLY OPPOSITE.


THE UTAC COMPLIES WITH ASTM E580 FOR CATEGORY C, AND D-F SEISMIC INSTALLATIONS. REQUIRES A POP RIVET FOR INSTALLATION.



SYSTEM COMPATIBILITY	COMPATIBLE
USG DONN GRID AND USG TILE	YES
USG CEILINGS PLUS ILLUSIONS	YES
USG CELEBRATION	YES
USG CELEBRATION TORSION SPRING	YES
USG DANOLINE & HERADESIGN PANELS	YES

4 ASHLAR PATTERN, 2' X 4' PANELS

Scale: 1/2" = 1'-0"



SYSTEM COMPATIBILITY	COMPATIBLE
USG DONN GRID AND USG TILE	YES
USG CEILINGS PLUS ILLUSIONS	YES
USG CELEBRATION	YES
USG CELEBRATION TORSION SPRING	NO
USG DANOLINE & HERADESIGN PANELS	YES

3 ASHLAR PATTERN, 2' X 4' PANELS

Scale: 1/2" = 1'-0"

LEGEND

UTAC CLIP AT END OF CROSS TEE	TWO FOR EACH CROSS TEE, (ONE AT EACH END), TYPICAL
CROSS TEE	-----
MAIN TEE	=====

SHEET INFORMATION:

ASHLAR GRID LAYOUTS

IC5372 - 2


USG UTAC CLIP

- USEFUL FOR RUNNING BOND AND OTHER OFF MODULE LAYOUTS.
- COMPLIES WITH ASTM E580 FOR CATEGORY C, AND D-F INSTALLATIONS.
- DOES NOT INTERFERE WITH PANEL INSTALLATION OR REMOVAL.
- WORKS WITH ALL DONN BRAND SUSPENSION SYSTEMS.
- ENSURES THE DONN SUSPENSION SYSTEM WARRANTY WILL APPLY.
- REFERENCE USG LITERATURE AC3330 FOR MORE INFORMATION.
- ASHLAR GRID LAYOUTS REQUIRE MORE MAIN TEES THAN STANDARD ORTHOGONAL GRID CEILINGS.

GENERAL NOTES

THE UNOPPOSED CROSS TEE CLIP IS USED TO CREATE CODE COMPLIANT CROSS TEE CONNECTIONS WHEN A CROSS TEE IS INSTALLED IN A MAIN TEE WITHOUT ANOTHER CROSS TEE DIRECTLY OPPOSITE.


THE UTAC COMPLIES WITH ASTM E580 FOR CATEGORY C, AND D-F SEISMIC INSTALLATIONS. REQUIRES A POP RIVET FOR INSTALLATION.



SYSTEM COMPATIBILITY	COMPATIBLE
USG DONN GRID AND USG TILE	CUSTOM SIZE
USG CEILINGS PLUS ILLUSIONS	YES
USG CELEBRATION	CUSTOM SIZE
USG CELEBRATION TORSION SPRING	CUSTOM SIZE
USG DANOLINE & HERADESIGN PANELS	NO

6 ASHLAR PATTERN, 3' GRID SPACING

Scale: 1/2" = 1'-0"



SYSTEM COMPATIBILITY	COMPATIBLE
USG DONN GRID AND USG TILE	YES
USG CEILINGS PLUS ILLUSIONS	YES
USG CELEBRATION	YES
USG CELEBRATION TORSION SPRING	YES
USG DANOLINE & HERADESIGN PANELS	NO

6 ASHLAR PATTERN, 4' X 4' PANELS

Scale: 1/2" = 1'-0"


LEGEND

UTAC CLIP AT END OF CROSS TEE	TWO FOR EACH CROSS TEE, (ONE AT EACH END), TYPICAL
CROSS TEE	-----
MAIN TEE	=====


SHEET INFORMATION:

ASHLAR GRID LAYOUTS


IC5372 - 3




6 ASHLAR TILE LAYOUT AT DXI GRID MAIN TEE
Scale: 6" = 1'-0"




4 ASHLAR TILE LAYOUT AT DX MAIN TEE
Scale: 6" = 1'-0"




2 ASHLAR FLUSH TILE LAYOUT AT DX MAIN TEE
Scale: 6" = 1'-0"




5 ASHLAR TILE LAYOUT AT DXFF GRID MAIN TEE
Scale: 6" = 1'-0"




3 ASHLAR TILE LAYOUT AT DXT MAIN TEE
Scale: 6" = 1'-0"




1 ASHLAR FLUSH TILE LAYOUT AT DXT MAIN TEE
Scale: 6" = 1'-0"




6 USG CELEBRATION - ASHLAR TILE LAYOUT AT DXF MAIN TEE
Scale: 6" = 1'-0"




4 USG HERADESIGN CEILING PANEL - ASHLAR TILE LAYOUT AT DX MAIN TEE
Scale: 6" = 1'-0"




2 USG CEILING PANEL - ASHLAR TILE LAYOUT AT DXT MAIN TEE
Scale: 6" = 1'-0"



5 USG CEILINGS PLUS ILLUSIONS - ASHLAR PANEL LAYOUT AT MAIN TEE
Scale: 6" = 1'-0"



3 USG CELEBRATION TORSION SPRING - ASHLAR LAYOUT AT MAIN TEE
Scale: 6" = 1'-0"



1 USG PANZ CEILING PANEL - ASHLAR TILE LAYOUT AT DXT MAIN TEE
Scale: 6" = 1'-0"