

DETAIL NOTES - SHAFT WALL CORNERS

1	(1) LAYER 5/8" SHEETROCK TYPE X PANELS
2	(2) LAYERS 5/8" SHEETROCK TYPE X PANELS
3	1" SHEETROCK LINER PANEL
4	STEEL J TRACK
5	2" x 2" 20 GA. ANGLE FASTENED TO J-TRACK WITH (2) 3/8" PAN-HEAD SCREWS AT CEILING AND (2) AT FLOOR
6	PAN-HEAD SCREW 24" O.C.
7	CT, CH, OR I STUDS
8	CH STUDS
9	CORNER BEAD
10	J-RUNNER



USG Corporation
550 West Adams Street, Chicago, IL 60661
T. 800-USG4YOU www.USG.com

1-HOUR SHAFTWALL CORNER DETAIL
SHAFT WALL SYSTEMS DETAILS


ISSUE RECORD:
12/13/21

ISSUE: DATE:

SHEET INFORMATION:
SCALE: 3" = 1'-0"

SW-CD-01.1

1-HOUR SHAFTWALL CORNER DETAIL



DETAIL NOTES - SHAFT WALL CORNERS

1	(1) LAYER 5/8" SHEETROCK TYPE X PANELS
2	(2) LAYERS 5/8" SHEETROCK TYPE X PANELS
3	1" SHEETROCK LINER PANEL
4	STEEL J TRACK
5	2" x 2" 20 GA. ANGLE FASTENED TO J-TRACK WITH (2) 3/8" PAN-HEAD SCREWS AT CEILING AND (2) AT FLOOR
6	PAN-HEAD SCREW 24" O.C.
7	CT, CH, OR I STUDS
8	CH STUDS
9	CORNER BEAD
10	J-RUNNER



USG Corporation
550 West Adams Street, Chicago, IL 60661
T. 800-USG4YOU www.USG.com

1-HOUR SHAFTWALL CORNER DETAIL
SHAFT WALL SYSTEMS DETAILS


ISSUE RECORD:
12/13/21

ISSUE: DATE:

SHEET INFORMATION:
SCALE: 3" = 1'-0"

SW-CD-01.2

1-HOUR SHAFTWALL CORNER DETAIL



DETAIL NOTES - SHAFT WALL CORNERS

1	(1) LAYER 5/8" SHEETROCK TYPE X PANELS
2	(2) LAYERS 5/8" SHEETROCK TYPE X PANELS
3	1" SHEETROCK LINER PANEL
4	STEEL J TRACK
5	2" x 2" 20 GA. ANGLE FASTENED TO J-TRACK WITH (2) 3/8" PAN-HEAD SCREWS AT CEILING AND (2) AT FLOOR
6	PAN-HEAD SCREW 24" O.C.
7	CT, CH, OR I STUDS
8	CH STUDS
9	CORNER BEAD
10	J-RUNNER



USG Corporation
550 West Adams Street, Chicago, IL 60661
T. 800-USG4YOU www.USG.com

1-HOUR SHAFTWALL CORNER DETAIL
SHAFT WALL SYSTEMS DETAILS


ISSUE RECORD:
12/13/21

ISSUE: DATE:

SHEET INFORMATION:
SCALE: 3" = 1'-0"

SW-CD-01.3

1-HOUR SHAFTWALL CORNER DETAIL



DETAIL NOTES - SHAFT WALL CORNERS

1	(1) LAYER 5/8" SHEETROCK TYPE X PANELS
2	(2) LAYERS 5/8" SHEETROCK TYPE X PANELS
3	1" SHEETROCK LINER PANEL
4	STEEL J TRACK
5	2" x 2" 20 GA. ANGLE FASTENED TO J-TRACK WITH (2) 3/8" PAN-HEAD SCREWS AT CEILING AND (2) AT FLOOR
6	PAN-HEAD SCREW 24" O.C.
7	CT, CH, OR I STUDS
8	CH STUDS
9	CORNER BEAD
10	J-RUNNER



USG Corporation
550 West Adams Street, Chicago, IL 60661
T. 800-USG4YOU www.USG.com

1-HOUR SHAFTWALL CORNER DETAIL
SHAFT WALL SYSTEMS DETAILS


ISSUE RECORD:
12/13/21

ISSUE: DATE:

SHEET INFORMATION:
SCALE: 3" = 1'-0"

SW-CD-01.4

1-HOUR SHAFTWALL CORNER DETAIL



DETAIL NOTES - SHAFT WALL CORNERS

1	(1) LAYER 5/8" SHEETROCK TYPE X PANELS
2	(2) LAYERS 5/8" SHEETROCK TYPE X PANELS
3	1" SHEETROCK LINER PANEL
4	STEEL J TRACK
5	2" x 2" 20 GA. ANGLE FASTENED TO J-TRACK WITH (2) 3/8" PAN-HEAD SCREWS AT CEILING AND (2) AT FLOOR
6	PAN-HEAD SCREW 24" O.C.
7	CT, CH, OR I STUDS
8	CH STUDS
9	CORNER BEAD
10	J-RUNNER



USG Corporation
550 West Adams Street, Chicago, IL 60661
T. 800-USG4YOU www.USG.com

1-HOUR SHAFTWALL CORNER DETAIL
SHAFT WALL SYSTEMS DETAILS


ISSUE RECORD:
12/13/21

ISSUE: DATE:

SHEET INFORMATION:
SCALE: 3" = 1'-0"

SW-CD-01.5

1-HOUR SHAFTWALL CORNER DETAIL



DETAIL NOTES - SHAFT WALL CORNERS

1	(1) LAYER 5/8" SHEETROCK TYPE X PANELS
2	(2) LAYERS 5/8" SHEETROCK TYPE X PANELS
3	1" SHEETROCK LINER PANEL
4	STEEL J TRACK
5	2" x 2" 20 GA. ANGLE FASTENED TO J-TRACK WITH (2) 3/8" PAN-HEAD SCREWS AT CEILING AND (2) AT FLOOR
6	PAN-HEAD SCREW 24" O.C.
7	CT, CH, OR I STUDS
8	CH STUDS
9	CORNER BEAD
10	J-RUNNER



USG Corporation
550 West Adams Street, Chicago, IL 60661
T. 800-USG4YOU www.USG.com

1-HOUR SHAFTWALL CORNER DETAIL
SHAFT WALL SYSTEMS DETAILS


ISSUE RECORD:
12/13/21

ISSUE: DATE:

SHEET INFORMATION:
SCALE: 3" = 1'-0"

SW-CD-01.6

1-HOUR SHAFTWALL CORNER DETAIL



DETAIL NOTES - SHAFT WALL CORNERS

1	(1) LAYER 5/8" SHEETROCK TYPE X PANELS
2	(2) LAYERS 5/8" SHEETROCK TYPE X PANELS
3	1" SHEETROCK LINER PANEL
4	STEEL J TRACK
5	2" x 2" 20 GA. ANGLE FASTENED TO J-TRACK WITH (2) 3/8" PAN-HEAD SCREWS AT CEILING AND (2) AT FLOOR
6	PAN-HEAD SCREW 24" O.C.
7	CT, CH, OR I STUDS
8	CH STUDS
9	CORNER BEAD
10	J-RUNNER



USG Corporation
550 West Adams Street, Chicago, IL 60661
T. 800-USG4YOU www.USG.com

2-HOUR SHAFTWALL CORNER DETAIL

SHAFT WALL SYSTEMS DETAILS


ISSUE RECORD:
12/13/21

ISSUE: DATE:

SHEET INFORMATION:
SCALE: 3" = 1'-0"

SW-CD-02.1

2-HOUR SHAFTWALL CORNER DETAIL



DETAIL NOTES - SHAFT WALL CORNERS

1	(1) LAYER 5/8" SHEETROCK TYPE X PANELS
2	(2) LAYERS 5/8" SHEETROCK TYPE X PANELS
3	1" SHEETROCK LINER PANEL
4	STEEL J TRACK
5	2" x 2" 20 GA. ANGLE FASTENED TO J-TRACK WITH (2) 3/8" PAN-HEAD SCREWS AT CEILING AND (2) AT FLOOR
6	PAN-HEAD SCREW 24" O.C.
7	CT, CH, OR I STUDS
8	CH STUDS
9	CORNER BEAD
10	J-RUNNER



USG Corporation
550 West Adams Street, Chicago, IL 60661
T. 800-USG4YOU www.USG.com

2-HOUR SHAFTWALL CORNER DETAIL
SHAFT WALL SYSTEMS DETAILS


ISSUE RECORD:
12/13/21

ISSUE: DATE:

SHEET INFORMATION:
SCALE: 3" = 1'-0"

SW-CD-02.2

2-HOUR SHAFTWALL CORNER DETAIL



DETAIL NOTES - SHAFT WALL CORNERS

1	(1) LAYER 5/8" SHEETROCK TYPE X PANELS
2	(2) LAYERS 5/8" SHEETROCK TYPE X PANELS
3	1" SHEETROCK LINER PANEL
4	STEEL J TRACK
5	2" x 2" 20 GA. ANGLE FASTENED TO J-TRACK WITH (2) 3/8" PAN-HEAD SCREWS AT CEILING AND (2) AT FLOOR
6	PAN-HEAD SCREW 24" O.C.
7	CT, CH, OR I STUDS
8	CH STUDS
9	CORNER BEAD
10	J-RUNNER



USG Corporation
550 West Adams Street, Chicago, IL 60661
T. 800-USG4YOU www.USG.com

2-HOUR SHAFTWALL CORNER DETAIL

SHAFT WALL SYSTEMS DETAILS


ISSUE RECORD:
12/13/21

ISSUE: DATE:

SHEET INFORMATION:
SCALE: 3" = 1'-0"

SW-CD-02.3

2-HOUR SHAFTWALL CORNER DETAIL



DETAIL NOTES - SHAFT WALL CORNERS

1	(1) LAYER 5/8" SHEETROCK TYPE X PANELS
2	(2) LAYERS 5/8" SHEETROCK TYPE X PANELS
3	1" SHEETROCK LINER PANEL
4	STEEL J TRACK
5	2" x 2" 20 GA. ANGLE FASTENED TO J-TRACK WITH (2) 3/8" PAN-HEAD SCREWS AT CEILING AND (2) AT FLOOR
6	PAN-HEAD SCREW 24" O.C.
7	CT, CH, OR I STUDS
8	CH STUDS
9	CORNER BEAD
10	J-RUNNER



USG Corporation
550 West Adams Street, Chicago, IL 60661
T. 800-USG4YOU www.USG.com

2-HOUR SHAFTWALL CORNER DETAIL

SHAFT WALL SYSTEMS DETAILS


ISSUE RECORD:
12/13/21

ISSUE: DATE:

SHEET INFORMATION:
SCALE: 3" = 1'-0"

SW-CD-02.4

2-HOUR SHAFTWALL CORNER DETAIL



DETAIL NOTES - SHAFT WALL CORNERS

1	(1) LAYER 5/8" SHEETROCK TYPE X PANELS
2	(2) LAYERS 5/8" SHEETROCK TYPE X PANELS
3	1" SHEETROCK LINER PANEL
4	STEEL J TRACK
5	2" x 2" 20 GA. ANGLE FASTENED TO J-TRACK WITH (2) 3/8" PAN-HEAD SCREWS AT CEILING AND (2) AT FLOOR
6	PAN-HEAD SCREW 24" O.C.
7	CT, CH, OR I STUDS
8	CH STUDS
9	CORNER BEAD
10	J-RUNNER



USG Corporation
550 West Adams Street, Chicago, IL 60661
T. 800-USG4YOU www.USG.com

2-HOUR SHAFTWALL CORNER DETAIL

SHAFT WALL SYSTEMS DETAILS


ISSUE RECORD:
12/13/21

ISSUE: DATE:

SHEET INFORMATION:
SCALE: 3" = 1'-0"

SW-CD-02.5

2-HOUR SHAFTWALL CORNER DETAIL



DETAIL NOTES - SHAFT WALL CORNERS

1	(1) LAYER 5/8" SHEETROCK TYPE X PANELS
2	(2) LAYERS 5/8" SHEETROCK TYPE X PANELS
3	1" SHEETROCK LINER PANEL
4	STEEL J TRACK
5	2" x 2" 20 GA. ANGLE FASTENED TO J-TRACK WITH (2) 3/8" PAN-HEAD SCREWS AT CEILING AND (2) AT FLOOR
6	PAN-HEAD SCREW 24" O.C.
7	CT, CH, OR I STUDS
8	CH STUDS
9	CORNER BEAD
10	J-RUNNER



USG Corporation
550 West Adams Street, Chicago, IL 60661
T. 800-USG4YOU www.USG.com

2-HOUR SHAFTWALL CORNER DETAIL
SHAFT WALL SYSTEMS DETAILS


ISSUE RECORD:
12/13/21

ISSUE: DATE:

SHEET INFORMATION:
SCALE: 3" = 1'-0"

SW-CD-02.6

2-HOUR SHAFTWALL CORNER DETAIL



DETAIL NOTES - SHAFT WALL CORNERS	
1	(1) LAYER 5/8" SHEETROCK TYPE X PANELS
2	(2) LAYERS 5/8" SHEETROCK TYPE X PANELS
3	1" SHEETROCK LINER PANEL
4	STEEL J TRACK
5	2" x 2" 20 GA. ANGLE FASTENED TO J-TRACK WITH (2) 3/8" PAN-HEAD SCREWS AT CEILING AND (2) AT FLOOR
6	PAN-HEAD SCREW 24" O.C.
7	CT, CH, OR I STUDS
8	CH STUDS
9	CORNER BEAD
10	J-RUNNER



USG Corporation
 550 West Adams Street, Chicago, IL 60661
 T. 800-USG4YOU www.USG.com

2-HOUR SHAFTWALL CORNER DETAIL

SHAFT WALL SYSTEMS DETAILS


ISSUE RECORD:
 12/13/21

ISSUE: DATE:

SHEET INFORMATION:
 SCALE: 3" = 1'-0"

SW-CD-02.7

2-HOUR SHAFTWALL CORNER DETAIL



DETAIL NOTES - SHAFT WALL CORNERS

1	(1) LAYER 5/8" SHEETROCK TYPE X PANELS
2	(2) LAYERS 5/8" SHEETROCK TYPE X PANELS
3	1" SHEETROCK LINER PANEL
4	STEEL J TRACK
5	2" x 2" 20 GA. ANGLE FASTENED TO J-TRACK WITH (2) 3/8" PAN-HEAD SCREWS AT CEILING AND (2) AT FLOOR
6	PAN-HEAD SCREW 24" O.C.
7	CT, CH, OR I STUDS
8	CH STUDS
9	CORNER BEAD
10	J-RUNNER



USG Corporation
550 West Adams Street, Chicago, IL 60661
T. 800-USG4YOU www.USG.com

2-HOUR SHAFTWALL CORNER DETAIL

SHAFT WALL SYSTEMS DETAILS

ISSUE RECORD:
12/13/21

ISSUE: DATE:

SHEET INFORMATION:
SCALE: 3" = 1'-0"

SW-CD-02.8

2-HOUR SHAFTWALL CORNER DETAIL