


INSTALLATION INSTRUCTIONS

1. UNPACK MATERIALS AND FAMILIARIZE YOURSELF WITH ASSEMBLED UNITS AND MISCELLANEOUS PARTS BY LOCATING EACH ON THE SHOP DRAWINGS.
2. VERIFY CONDITIONS AND MEASUREMENTS AFFECTING THE WORK OF THIS SECTION AT THE SITE. MAKE SURE THAT DETRIMENTAL CONDITIONS ARE CORRECTED PRIOR TO PROCEEDING WITH INSTALLATION.
3. INSTALL PERIMETER TRIM (AS REQ.'D) AT THE ELEVATION INDICATED ON THE ARCHITECTURAL DRAWINGS.
4. INSTALL SUSPENSION SYSTEM FOLLOWING REFERENCED STANDARDS PER SPECIFICATIONS, ASTM 636 AND SHOP DRAWINGS; SATISFYING APPLICABLE BUILDING CODES. THE SUPPORT MEMBER SHALL BE SUSPENDED FROM HANGERS SPACED AS SHOWN ON RESPECTIVE GRID PLANS. WHERE MECHANICAL AND ELECTRICAL WORK INTERFERE WITH SPACING OF REQUIRED HANGERS, PROVIDE ADDITIONAL HANGERS AND CHANNELS MAKING NECESSARY ADJUSTMENTS TO THE CEILING SUPPORT SYSTEM.
5. SEISMIC INSTALLATION BY INSTALLING CONTRACTOR SHALL BE IN ACCORDANCE WITH ALL GOVERNING CODES. FLOATING SYSTEMS WILL REQUIRE LATERAL BRACING TO PROPERLY SECURE & MAINTAIN CEILING GRID TO BE SQUARE & LEVEL.
REF. "**LATERAL BRACING**" DETAIL
6. WHERE FIELD CUTTING IS REQUIRED, NEATLY CUT AND REINFORCE OPENINGS IN METAL PANELS. FOLLOW MANUFACTURING RECOMMENDATIONS AS NOTED.
7. PANELS, SUSPENSION SYSTEM COMPONENTS, AND ACCESSORIES TO BE STORED IN ORIGINAL, UNOPENED PACKAGES IN A FULLY ENCLOSED, CONDITIONED SPACE WHERE THEY WILL BE PROTECTED AGAINST DAMAGE FROM MOISTURE, HUMIDITY, TEMPERATURE EXTREMES, DIRECT SUNLIGHT, SURFACE CONTAMINATION, AND OTHER CAUSES.
8. INSTALL PANELS ONLY AFTER SPACE IS CLEAR FROM DUST.

CONTACT "CEILINGS PLUS" @ (323)724-8166 IF YOU ENCOUNTER DIFFICULTY OR REQUIRE ASSISTANCE.



CEILINGS PLUS®

USG Corporation
550 West Adams Street, Chicago, IL 60661-3676 1.800-USG4YOU


Barz ® SYSTEM DETAILS

Installation Note

SHEET: BARZ-INST

SCALE: 1:1

ISSUE DATE: 2/3/2022



USG Corporation
550 West Adams Street, Chicago, IL 60661-3676 1.800-USG4YOU


Barz® SYSTEM DETAILS

Fixture Integration

SHEET: BARZ-FIXTURE

SCALE: 1:4

ISSUE DATE: 2/3/2022



USG Corporation
550 West Adams Street, Chicago, IL 60661-3676 1.800-USG4YOU

Barz® SYSTEM DETAILS


Ceiling Isometric

SHEET: BARZ-ISO


SCALE: 1:1

ISSUE DATE: 2/3/2022

USG CEILINGSPUS © 2021 The USG Product Specifications contained herein are intended for use as product reference material by architects, engineers, contractors, building code officials, or other competent construction industry professionals having an interest in the selection, specification, and use of products manufactured by USG Corporation and its subsidiaries. These Specifications are intended solely as technical support incident to the sale and use of USG products and not intended to be a substitute for the review and approval of the licensed design professionals for the project. These materials may be printed and/or transferred electronically solely as needed by the user. Because electronic CAD & BIM files can be modified by other parties without notice or indication, any alteration of such files and their contents become the responsibility and liability of the design professionals for the project.



#12 PRESTRAIGHTENED GALV. WIRE
@ 4'-0" O.C. ON MAIN TEE
3 TWISTS IN 1" MIN. WRAP ANCHOR
DEVICE ABOVE @ 100 LBS. MINIMUM
PER HANGING POINT. LATERAL BRACING
AS PER APPLICABLE BUILDING CODE.
HANGER WIRE BY INSTALLER



CEILINGSPUS®

USG Corporation
550 West Adams Street, Chicago, IL 60661-3676 1.800-USG4YOU

Barz® SYSTEM DETAILS


Cassette Module with Torsion Spring

SHEET: BARZ-MODULE

SCALE: 1:4

ISSUE DATE: 2/3/2022

USG CEILINGSPUS® © 2021 The USG Product Specifications contained herein are intended for use as product reference material by architects, engineers, contractors, building code officials, or other competent construction industry professionals having an interest in the selection, specification, and use of products manufactured by USG Corporation and its subsidiaries. These Specifications are intended solely as technical support incident to the sale and use of USG products and not intended to be a substitute for the review and approval of the licensed design professionals for the project. These materials may be printed and/or transferred electronically solely as needed by the user. Because electronic CAD & BIM files can be modified by other parties without notice or indication, any alteration of such files and their contents become the responsibility and liability of the design professionals for the project.



CEILINGSPUS®

USG Corporation
550 West Adams Street, Chicago, IL 60661-3676 1.800-USG4YOU

Barz @ SYSTEM DETAILS


Perimeter at Wall Field Cut L-Angle - Main Tee Free

SHEET: BARZ-P1-SFR

SCALE: 1:2

ISSUE DATE: 2/3/2022

USG CEILINGSPUS PLUS © 2021 The USG Product Specifications contained herein are intended for use as product reference material by architects, engineers, contractors, building code officials, or other competent construction industry professionals having an interest in the selection, specification, and use of products manufactured by USG Corporation and its subsidiaries. These Specifications are intended solely as technical support incident to the sale and use of USG products and not intended to be a substitute for the review and approval of the licensed design professionals for the project. These materials may be printed and/or transferred electronically solely as needed by the user. Because electronic CAD & BIM files can be modified by other parties without notice or indication, any alteration of such files and their contents become the responsibility and liability of the design professionals for the project.



CEILINGSPUS®

USG Corporation
550 West Adams Street, Chicago, IL 60661-3676 1.800-USG4YOU


Barz @ SYSTEM DETAILS

Perimeter at Wall Field Cut L-Angle - Main Tee Fixed

SHEET: BARZ-P1-SFX

SCALE: 1:2

ISSUE DATE: 2/3/2022



CEILINGS PLUS®

USG Corporation
550 West Adams Street, Chicago, IL 60661-3676 1.800-USG4YOU


Barz® SYSTEM DETAILS

Perimeter at Wall Field Cut L-Angle - Cross Tee Free

SHEET: BARZ-P2-SFR

SCALE: 1:2

ISSUE DATE: 2/3/2022



CEILINGS PLUS®

USG Corporation
550 West Adams Street, Chicago, IL 60661-3676 1.800-USG4YOU

Barz® SYSTEM DETAILS


Perimeter at Wall Field Cut L-Angle - Cross Tee Fixed

SHEET: BARZ-P2-SFX

SCALE: 1:2

ISSUE DATE: 2/3/2022

USG CEILINGS PLUS © 2021 The USG Product Specifications contained herein are intended for use as product reference material by architects, engineers, contractors, building code officials, or other competent construction industry professionals having an interest in the selection, specification, and use of products manufactured by USG Corporation and its subsidiaries. These Specifications are intended solely as technical support incident to the sale and use of USG products and not intended to be a substitute for the review and approval of the licensed design professionals for the project. These materials may be printed and/or transferred electronically solely as needed by the user. Because electronic CAD & BIM files can be modified by other parties without notice or indication, any alteration of such files and their contents become the responsibility and liability of the design professionals for the project.



USG Corporation
550 West Adams Street, Chicago, IL 60661-3676 1.800-USG4YOU

Barz® SYSTEM DETAILS


Perimeter Floating - Main Tee

SHEET: BARZ-P3

SCALE: 1:2

ISSUE DATE: 2/3/2022

#12 PRESTRAIGHTENED GALV. WIRE
@ 4'-0" O.C. ON MAIN TEE
3 TWISTS IN 1" MIN. WRAP ANCHOR
DEVICE ABOVE @ 100 LBS. MINIMUM
PER HANGING POINT. LATERAL BRACING
AS PER APPLICABLE BUILDING CODE.
HANGER WIRE BY INSTALLER



CEILINGSPUS®

USG Corporation
550 West Adams Street, Chicago, IL 60661-3676 1.800-USG4YOU


Barz® SYSTEM DETAILS

Perimeter Floating - Cross Tee (Field Cut)

SHEET: BARZ-P4A

SCALE: 1:2

ISSUE DATE: 2/3/2022



CEILINGS PLUS®

USG Corporation
550 West Adams Street, Chicago, IL 60661-3676 1.800-USG4YOU


Barz® SYSTEM DETAILS

Perimeter Floating - Cross Tee

SHEET: BARZ-P4B

SCALE: 1:2

ISSUE DATE: 2/3/2022



USG Corporation
550 West Adams Street, Chicago, IL 60661-3676 1.800-USG4YOU


Barz® SYSTEM DETAILS

Perimeter Floating at Skewed Wall Condition

SHEET: BARZ-P5

SCALE: 1:4

ISSUE DATE: 2/3/2022



CEILINGSPUS®

USG Corporation
550 West Adams Street, Chicago, IL 60661-3676 1.800-USG4YOU


Barz® SYSTEM DETAILS

Perimeter at Wall / L-Angle - Cross Tee Free

SHEET: BARZ-P6-SFR

SCALE: 1:2

ISSUE DATE: 2/3/2022



CEILINGSPUS®

USG Corporation
550 West Adams Street, Chicago, IL 60661-3676 1.800-USG4YOU


Barz ® SYSTEM DETAILS

Perimeter at Wall / L-Angle - Cross Tee Fixed


SHEET: BARZ-P6-SFX

SCALE: 1:2

ISSUE DATE: 2/3/2022



PANEL PERFORATION @
SIDES ONLY, TYP.



CEILINGSPUS®

USG Corporation
550 West Adams Street, Chicago, IL 60661-3676 1.800-USG4YOU


Barz® SYSTEM DETAILS

Joint Reveal 1/4" - 1" Integral Return (Optional Perforation)

SHEET: BARZ-PERF

SCALE: 1:4

ISSUE DATE: 2/3/2022



USG Corporation
550 West Adams Street, Chicago, IL 60661-3676 1.800-USG4YOU

Barz® SYSTEM DETAILS

Joint Reveal 1/4" with 1" Integral Return

SHEET: BARZ-PJ1

SCALE: 1:2

ISSUE DATE: 2/3/2022